Radial RoHS Halogen Free HF Compliant MF72-SCN5D-20 NTC Thermistor with Wide -40~200 Operating Temperature Range

SHENZHEN GUANGDONG, CHINA

UL,REACH,ROHS,ISO

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number: MF72-SCN5D-20
- Minimum Order
 Quantity:
- Price: Negotiable
- Packaging Details:
- Delivery Time: 5-7 days
- Payment Terms: T/T,Paypal,Western Union,Money gram

SOCAY

250PCS

Bulk

Supply Ability: 250,000PCS Per Month



Product Specification

• Features:	Wide Operating Temperature Rang
Standard:	RoHS & Halogen Free (HF) Compliant
Body Size:	Ф20mm
Enterprise Type:	Co,Ltd
Termination Style:	Radial
• Material:	Radial Lead Resin Coated
Package Type:	Radial Leaded
Operating Temperature Range:	-40~+200
Highlight:	MF72-SCN5D-20 NTC Thermistor, Halogen Free NTC Thermistor



More Images

SOCAY



Our Product Introduction

Product Description

Product Description:

With a body size of Φ 20mm, our NTC Thermistor is compact yet powerful. It also has a Dissipation Factor Df of 23 MW/, which allows it to dissipate heat effectively, ensuring reliable and accurate temperature sensing. Our NTC Thermistor is made with high-quality materials, ensuring its longevity and durability. It can operate over a wide range of temperatures, making it suitable for use in various environments. Its wide operating temperature range makes it ideal for use in applications such as temperature sensing and control, temperature compensation, and temperature monitoring. So, if you're looking for a reliable and accurate temperature sensing solution, look no further than our high-quality NTC Thermistor. With its compact body size, high-quality materials, and wide operating temperature range, it's the perfect choice for all your temperature sensing needs.

Features:

Product Name: NTC Thermistor Operating temperature range: -40~+200 Standard: RoHS & Halogen Free (HF) Compliant Rated Resistance: 5 Ohm Thickness: 6 mm Capacitance: 560µF Product Features: Thermal Resistor Element Negative Temperature Coefficient Resistor Negative Temperature Coefficient Thermistor

Technical Parameters:

Package Type	Radial Leaded
Body size	Ф20mm
Features	Wide Operating Temperature Range
Material	Radial Lead Resin Coated
Tolerance	±20%
Operating temperature range	-40~+200
Quality	High Quality
Rated Resistance	5 Ohm
Dissipation Factor Df	23 MW/
Termination Style	Radial

This is a table of technical parameters for the NTC Thermistor, also known as a Thermal Resistive Temperature Sensor or Negative Temperature Coefficient Thermistor.

Applications:

One of the primary application occasions for this product is in temperature sensing and control systems. It can be used in a variety of scenarios, such as in household and industrial heating and cooling systems, automotive engines and transmissions, medical equipment and devices, and electronic circuitry.

The SOCAY branded NTC Thermistor MF72-SCN5D-20 is manufactured in Shenzhen, Guangdong, China and is certified by UL, REACH, ROHS, and ISO. The minimum order quantity for this product is 250pcs and the price is negotiable. It is packaged in bulk and has a delivery time of 5-7 days. Payment terms include T/T, Paypal, Western Union, and Money gram. The supply ability for this product is 250,000pcs per month.

The NTC Thermistor MF72-SCN5D-20 is mounted using through hole technology and has a standard rating of RoHS & Halogen Free (HF) Compliant. It has a rated resistance of 5 ohm and a thickness of 6mm. This product is produced by a Co, Ltd enterprise type.

Customization:

Our product is available for customization services, with a minimum order quantity of 250PCS. We offer negotiable pricing and bulk packaging details for your convenience. With a supply ability of 250,000PCS per month, we guarantee quick delivery times of 5-7 days. Payment terms include T/T, Paypal, Western Union, and Money gram.

Support and Services:

Our NTC Thermistor product comes with comprehensive technical support and services to ensure you have the best experience using our product. Our team of experts is available to provide you with the necessary technical assistance to address any issues you may encounter while using the product. We also offer repair and calibration services to ensure your NTC Thermistor is functioning optimally. Additionally, we can provide customized solutions to meet your specific needs and requirements.

Packing and Shipping:

The NTC Thermistor product is packaged in a small plastic bag to ensure it is protected from any damage during transit. Shipping:

We offer standard shipping for this product. The estimated delivery time is 3-5 business days within the United States. For international orders, the delivery time may vary depending on the destination country.

